

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/5893630>

What Many Transgender Activists Don't Want You to Know: and why you should know it anyway

Article *in* Perspectives in biology and medicine · February 2007

DOI: 10.1353/pbm.2007.0041 · Source: PubMed

CITATIONS

17

READS

13,494

2 authors, including:



[J. Michael Bailey](#)

Northwestern University

155 PUBLICATIONS 8,626 CITATIONS

SEE PROFILE

Search Results

[View PDF](#)Title: What many transgender activists don't want you to know: and why you should know it anyway

Author(s): J. Michael Bailey and Kiira Triea

Source: *Perspectives in Biology and Medicine*. 50.4 (Autumn 2007): p521.

Document Type: Article

Copyright: COPYRIGHT 2007 Johns Hopkins University Press

<http://www.press.jhu.edu.turing.library.northwestern.edu>

Full Text:

ABSTRACT Currently the predominant cultural understanding of male-to-female transsexualism is that all male-to-female (MtF) transsexuals are, essentially, women trapped in men's bodies. This understanding has little scientific basis, however, and is inconsistent with clinical observations. Ray Blanchard has shown that there are two distinct subtypes of MtF transsexuals. Members of one subtype, homosexual transsexuals, are best understood as a type of homosexual male. The other subtype, autogynephilic transsexuals, are motivated by the erotic desire to become women. The persistence of the predominant cultural understanding, while explicable, is damaging to science and to many transsexuals.

A COMMON UNDERSTANDING OF male-to-female transsexualism is that all MtF transsexuals are, essentially, women trapped in men's bodies. The standard narrative of men who become women goes something like this: "I have always felt that I was born in the wrong body. I have always been feminine in my interests and feelings. My desire to change sex is about my gender identity and not my sexuality." This narrative, which Dreger (2007) has termed "the feminine essence narrative," represents both what most laypeople believe to be true, as well as what transsexuals are likely to say publicly. The narrative has been extended to an etiological theory, which Lawrence (2007b) has called "the brainsex theory of transsexualism." The transsexual advocacy website, transsexual.org, puts this theory succinctly: "A transsexual is a person in which the sex-related structures of the brain that define gender identity are exactly opposite the physical sex organs of the body."

The standard, feminine essence narrative, and the associated brain-sex theory, are incorrect, in the sense that they do not represent reality, even if they do correspond with many transsexual individuals' beliefs and identities. The best scientific evidence (discussed below) indicates that there are two distinct subtypes of MtF transsexuals, and that the feminine essence narrative at best approximates the life history of only one subtype. Paradoxically, this explanation of MtF transsexualism persists because it is the explanation preferred by the other subtype, to which it does not apply at all. The popularity of the feminine essence narrative reflects factors other than the strength of scientific support. Its persistence has likely had negative consequences for both science and transsexuals themselves.

TWO KINDS OF MALE-TO-FEMALE TRANSSEXUALS

The classification system of MtF transsexuals that we believe to be correct was developed by the psychologist Ray Blanchard in a series of studies conducted at the Clarke Institute of Psychiatry in Toronto and published between 1985 and 1995. (Blanchard's relevant oeuvre includes more than 20 articles; we provide only a summary of his conclusions.) Blanchard's studies reported data on hundreds of transsexual males (that is, males who hoped to become or had become women), as well as other individuals who were male with respect to birth sex and did not desire sex reassignment surgery, but who sometimes presented themselves, or thought of themselves, as female. Participants in these studies were representative of gender patients in Canada, and were probably also quite similar to patients seen in the United States and Western Europe. Blanchard's goal was to make sense out of the diversity of patients that gender clinics saw.

With respect to sexual orientation, Blanchard studied four groups of seemingly diverse male participants: homosexual (entirely attracted to other males), bisexual, heterosexual, and asexual. In three key studies, Blanchard (1985, 1988, 1989a) showed that homosexual transsexuals were different in a number of respects from members of the three other groups, and

that members of the latter groups did not differ much among themselves. These differences included age of presentation at the gender clinic, history of childhood femininity, and most importantly, history of erotic arousal in association with cross-dressing and cross-gender fantasy. These findings supported the division of MtF transsexualism into two types: homosexual and nonhomosexual. Blanchard's work provided a parsimonious and compelling taxonomy for the apparent sexual diversity among MtF transsexuals, reducing the four types of MtF transsexuals to two fundamentally distinct subtypes.

Autogynephilic Male-to-Female Transsexualism

Arguably, Blanchard's most important contribution was recognizing and elaborating the phenomenon that united the three nonhomosexual transsexual subtypes: autogynephilia. Autogynephilia is "a male's propensity to be attracted to the thought or image of himself as a woman" (Blanchard 2005). One common manifestation of autogynephilia is fetishistic cross-dressing, which is an extremely common antecedent to seeking sex reassignment among nonhomosexual (but not homosexual) transsexuals (Blanchard, Clemmensen, and Steiner 1987). Some autogynephilic individuals, however, do not cross-dress fetishistically. Indeed, a seminal case in Blanchard's conceptualization was "Philip," who did not cross-dress but fantasized sexually about being a nude woman by focusing on desired anatomical features (Blanchard 1991). Autogynephilia may be conceived as inner-directed heterosexuality. That is, autogynephilic males are like heterosexual men, except that their primary sexual attraction is to the image or idea of themselves as women.

Blanchard hypothesized that nonhomosexual transsexuals are motivated by autogynephilia. That is, nonhomosexual transsexuals experience erotic arousal at the idea of becoming a woman, and this arousal motivates them to become women. (We agree with Lawrence's recent theoretical modification [2007a] hypothesizing that romantic attachment can play an important role in some cases. It is probable, however, that such attachment is usually preceded by substantial erotic arousal to the idea of being a woman.)

Not all autogynephilic males become transsexuals. Autogynephilic interests run a gamut from cross-dressing to engaging in stereotypic female activities (e.g., knitting alongside other women) to possessing female breasts and genitalia. It is the latter interest that is most strongly associated with autogynephilic transsexualism (Blanchard 1993b). Other than the precise nature of their autogynephilic fantasy, there is no obvious difference between nonhomosexual cross-dressers who will become transsexuals and those who will not. They are all auto-gynephiles.

Blanchard's work also clarified the diversity of self-reported sexual orientations among nonhomosexual transsexuals (Blanchard 1989a). Autogynephilia (inner-directed heterosexuality) appears to compete with outward-directed heterosexuality. Many autogynephilic transsexuals experience enough outward-directed heterosexuality to label themselves as heterosexual pre-transition. Those whose autogynephilia is strong enough that they experience no other-directed sexual feelings identify as asexual. Finally, a common aspect of autogynephilia is the erotic fantasy of being admired, in the female persona, by another person. Autogynephiles for whom this fantasy is sufficiently strong tend to identify as bisexual. However, this bisexuality is not characterized by equal or even similar kinds of attraction to male and female bodies. Blanchard (1989b) thus suggests that it be characterized as "pseudobisexuality."

Autogynephilia appears to be a paraphilia. Paraphilias are unusual, intense, and persistent erotic interests. The concept of paraphilia is a controversial one, with some arguing that it is merely a word used to stigmatize sexual behavior that most people find undesirable (Moser 2001). Some paraphilias (e.g., pedophilia and sadism) are harmful to other people, while others (e.g., autogynephilia and fetishism) are not. Two non-obvious facts about paraphilias suggest that the label paraphilia may represent more than a mere value judgment. First, paraphilias are found nearly exclusively in males (APA 2000, p. 568). Second, at least some paraphilias tend to occur together. Autogynephilia, for example, appears to be correlated with other paraphilias, especially masochism (Lawrence 2006). Advertisements of dominatrixes frequently offer services to cross-dressers, and autogynephilic males are more likely than other males to become sexually aroused to stimuli depicting masochistic themes (Chivers and Blanchard 1996; Wilson and Gosselin 1980). Of men who die practicing the dangerous masochistic activity of autoerotic asphyxia, approximately 25% are cross-dressed, a much higher percentage than one would expect based on the number of nonhomosexual cross-dressers in the general population (Blanchard and Hucker 1991).

Homosexual Male-to-Female Transsexualism

Homosexual MtF transsexuals are much easier than autogynephilic transsexuals for most people to comprehend. Homosexual transsexuals are best understood as a subset of homosexual males who were very feminine from early childhood. In some ways, then, they do appear to fit the feminine essence narrative: they had male bodies as children, but behaviorally and psychologically they were different, in some respects, from typical boys and more similar to typical girls.

Most males who begin life as extremely feminine boys, even those whose femininity includes the wish to become girls, do not become transsexual. In the contemporary United States, most become homosexual men (Bailey and Zucker 1995; Green 1987; Zuger 1984). Homosexual MtF transsexuals, in contrast, persist in their wish to become female (Bailey 2003; Blanchard 1990). The reasons for this atypical persistence are unclear. However, these individuals often have a difficult time socially, romantically, and sexually, and their transition appears to be largely motivated by a desire to improve their lives in these domains.

As their label implies, homosexual MtF transsexuals are homosexual with respect to their birth sex. That is, they are attracted exclusively to men. Although some writers have objected to the use of the word homosexual to refer to individuals who have sex with men as women (e.g., Gooren 2006), we retain the terminology because it emphasizes the fact that homosexual MtFs are a subset of, and developmentally related to, other homosexual males. Furthermore, it emphasizes the most efficient and practical way of distinguishing homosexual and autogynephilic transsexuals. Homosexual transsexuals are unambiguously, exclusively, and intensely attracted to attractive men; autogynephilic transsexuals have some other pattern of sexual attraction. That is, an MtF transsexual who reports attraction to both men and women, or a history of sexual attraction to women, or considerable sexual experience with women, or attraction to neither men nor women--any clearly nonhomosexual pattern--is almost certainly autogynephilic (Blanchard 1989a; Blanchard, Clemmensen, and Steiner 1987).

EVIDENCE FOR THE FEMININE ESSENCE NARRATIVE AND BRAIN-SEX THEORY

The main theory competing with Blanchard's theory of MtF classification is the theory that all MtF transsexuals have a (probably innate) female gender identity. By this theory, homosexual and nonhomosexual transsexuals have different sexual orientations because sexual orientation and gender identity are distinct, perhaps even uncorrelated, phenomena. Both homosexual and nonhomosexual transsexuals share the same psychological condition, female gender identity, which they experience in similar ways. Furthermore, both kinds of transsexuals, as well as natal women, have in common neural circuitry that differs from that of nontranssexual men, and that causes female gender identity.

Transsexual Narratives

The claim that MtF transsexuals are "women trapped in men's bodies" is commonly made both by and about transsexuals. The evidentiary value of such claims depends on their plausibility and the lack of alternative, more plausible explanations. Nonhomosexual MtF transsexuals are not especially feminine in their interests and behaviors compared with most women (Herman-Jeglinska, Grabowska, and Dulko 2002; Lippa 2001) or with homosexual MtF transsexuals (Bailey 2003; Blanchard 1988). Furthermore, they often acknowledge autogynephilia (Lawrence 2005), such as fetishistic cross-dressing (in contrast to most women and homosexual MtF transsexuals [APA 2000; Blanchard, Clemmensen, and Steiner 1987]). Thus, the contention that women and all MtF transsexuals have feminine minds that motivate their feminine identification strikes us as implausible.

The Transsexual Brain Studies

In 1995, Zhou et al. described a sex difference in the size of a brain region, the central subdivision of the bed nucleus of the stria terminalis (BSTc), a collection of cells in the hypothalamus. This article included data from the brains of six MtF transsexuals, whose BSTc volumes were female-typical. A follow-up paper by Kruijver et al. (2000) added another MtF transsexual's brain and confirmed the earlier finding using different measurement techniques.

These studies have been widely touted by transsexual activists as supporting the brain-sex theory of MtF transsexualism. Furthermore, a remarkable statement by the British group, the Gender Identity Research and Education Society (GIRES 2006), appeared to base its support of transsexual treatment and rights largely on the studies and their alleged implication that "transsexualism is a neuro-developmental condition of the brain." Several of the signatories of this statement are

distinguished researchers. The transsexual brain studies have also received considerable scientific attention. As of February 1, 2007, the study by Zhou et al. (1995) has been cited by 117 scholarly articles, and that of Kruijver et al. (2000) has been cited by 43 scholarly articles. In contrast, Blanchard's three most highly cited autogynephilia-related studies (Blanchard 1985, 1989b; Blanchard, Clemmensen, and Steiner 1987) have each earned 38 such citations.

In our view, the influence of the transsexual brain studies is disproportionate compared with their scientific value to understanding the etiology of MtF transsexualism. Their relevance as support for the feminine essence narrative, as opposed to Blanchard's theory, is extremely weak--indeed, it is arguably absent. There are several important limitations that prevent the brain studies from being relevant in this regard (Lawrence 2007b). The most critical problem is that neither study includes the necessary hormonal controls to exclude the possibility that the feminization of the BSTc in MtFs was due to hormone treatment, especially estrogen therapy, received for transsexualism. Recent research shows that the volume of the hypothalamus is highly dependent on such hormonal treatment, with smaller volumes associated with estrogenic treatment (Hulshoff Pol et al. 2006). We concur with Lawrence (2007b) that this is the most likely explanation of the Zhou et al. (1995) and Kruijver et al. (2000) findings. Certainly those findings should be regarded cautiously until a study has ruled out the concern regarding hormonal treatment.

Evidence from Sex-Reassigned Children

In principle, the feminine essence narrative and brain sex theory could be instantiated by selecting a normal girl, medically masculinizing her body, and rearing her as a boy from an early age. If anyone could be a female trapped in a male body, or have a female brain in a male body, it would be a female such as this. What we know about such cases suggests that they are similar to homosexual, and different from nonhomosexual, MtF transsexuals.

There have been a few rare cases of females born with virilized genitalia due to prenatal maternal use of a progestin, in which the attempt was made to rear them as boys. The second author of this article is one such case, and she has known two others personally. All three cases were quite similar in presentation to homosexual MtF transsexuals: noticeably feminine presentation and interests, early expression of dissatisfaction with the male role, and sexual interest in males. None of these cases had signs of autogynephilia, such as fetishistic cross-dressing. Finally, their decisions to transition were made on the basis of optimizing sexual and social functioning, rather than because of a deep conviction that they were women trapped in men's bodies.

BLANCHARD'S THEORY VERSUS THE FEMININE ESSENCE NARRATIVE

We believe that Blanchard's theory of MtF transsexualism is far better supported, and far more likely to be true, than the feminine essence narrative and the associated brain-sex theory. It is based on far more data, with respect to the number of both studies and subjects; no published scientific data in the peer-reviewed literature contradict it; and other investigators in other countries have obtained similar findings (Smith et al. 2005). It also provides a plausible explanation for phenomena that are problematic for the feminine essence narrative (e.g., fetishistic cross-dressing and lack of early femininity among nonhomosexual transsexuals).

Why, then, has Blanchard's theory remained underappreciated, compared with the standard, feminine essence narrative? In the remainder of this section, we try to explain this. First, however, we wish to emphasize some important respects in which the two approaches to MtF transsexualism do not differ. Perhaps most importantly, both proponents of the feminine essence narrative and of Blanchard's theory support the treatment of transsexuals by sex reassignment surgery. Indeed, Blanchard (2000) has been a consistent advocate of such treatment for both homosexual and autogynephilic transsexuals, as has one of the authors of this article (Bailey 2003).

In addition, proponents of both theories see the histories people tell of their lives as an important source of understanding. In a recent paper on autogynephilia, Blanchard (2005) quotes extensively from self-reports of people with autogynephilia, primarily from collections compiled by Lawrence (Lawrence 1999a, 1999b). We ourselves have learned much about diversity among MtF transsexuals from our own interactions with members of each type. We believe, however, that in this domain, as in others, people's own narratives do not always correspond to the true reasons for their choices and behaviors. Finally, proponents of both theories recognize that MtF transsexuals are a diverse population who differ among themselves in many ways due to life circumstances and personal characteristics. Nonetheless, we maintain that those who promote the

feminine essence narrative fail to acknowledge one important source of that diversity, the distinction between homosexual and autogynephilic MtF transsexuals.

Denial of Autogynephilia

Few nonhomosexual transsexuals publicly identify as autogynephilic, and most neither admit a history of sexual arousal to the idea of being a woman, nor accept that such arousal was a motivating factor for their transsexualism. Indeed, although most public transsexual activists appear by their histories and presentations to be nonhomosexual MtF transsexuals, they have generally been hostile toward the idea that nonhomosexual transsexualism is associated with, and motivated by, autogynephilia. Prominent MtF transsexuals and transgenders who have expressed outrage at the theory include Becky Allison (1998), Christine Burns (2004), Lynn Conway (2006), Andrea James (2006), Deirdre McCloskey (2003), Nancy Nangeroni (Grubb 2004), and Joan Roughgarden (2003). The most visible exception has been Anne Lawrence, a physician, researcher, and psychotherapist, who both identifies as autogynephilic and has done most of the recently published research on autogynephilia. Willow Arune (2004) is another exception.

There are a number of reasons why autogynephilic individuals may prefer the feminine essence narrative as an account of their condition, even if autogynephilia is in fact the driving force. These include the concern (pre-transition) that clinicians will deem them unacceptable for sex reassignment if their transsexualism is erotically motivated, or that people will consider them sexually deviant (Bailey 2003; Lawrence 2004). Because autogynephilia produces a strong desire to imagine oneself as a woman, the feminine essence narrative is intrinsically appealing to autogynephilic individuals, even if it is implausible. In contrast, an explanation based on autogynephilia may be experienced as a narcissistic injury.

Transsexuals who have successfully accomplished the MtF transition sometimes see themselves as mentors to younger people attempting or considering this path. They may feel that public acceptance of the feminine essence narrative will facilitate the transition for these younger individuals. For example, parents may be more accepting era child whom they think of as a female unfortunately born with a male's body than of one whom they think of as a male erotically aroused by the idea of being female. Finally, as Lawrence (2007a) notes, postoperative transsexuals whose desire and attachment to being women persists as their sex drive diminishes with age may come to doubt that this desire has anything to do with eroticism. She also explains how this pattern is explicable via autogynephilia.

Attempts to Intimidate Proponents of Blanchard's Theory

Beyond denying the role of autogynephilia in MtF transsexualism, some transsexual activists have mounted attacks on those who publicly disagree with them. In 2003, the first author published a book, *The Man Who Would Be Queen*, about male femininity, including MtF transsexualism. The section on transsexualism included summaries of Blanchard's theory illustrated by transsexual women of both types whom he had met, and who agreed to let their stories be included. Upon publication, there was a firestorm of controversy among some MtF transsexuals. Most notably, the transsexual activists Lynn Conway (2006) and Andrea James (2006) led an internet "investigation" into the publication of the book. Conway (2004) likened the book to "Nazi propaganda" and said that it was "transsexual women's worst nightmare."

As a result of Conway's and James's efforts, a number of very public academic, personal, and professional accusations were made against the first author. None of these accusations was true (Bailey 2005). (For an historical investigation into the controversy surrounding *The Man Who Would Be Queen*, including a description of the substance and the merits of the accusations, see Dreger 2007.) The attacks on *The Man Who Would Be Queen* were precisely an attempt to punish the author for writing approvingly about Blanchard's ideas, and to intimidate others from doing so.

The second author was also attacked by some of the same transsexuals after she helped create the Website *transkids.us*. This website was created by a group of homosexual transsexuals, or "transkids," their nonclinical name for themselves, to educate the clinical and research communities in the wake of the controversy regarding *The Man Who Would Be Queen*. The writings on the site both endorsed Blanchard's distinction between homosexual and autogynephilic MtF transsexuals and criticized the standard feminine essence narrative as being both false and harmful to homosexual MtF transsexuals. Subsequently, Andrea James (2007) conducted highly personal attacks on individual transkids (including the second author), urging that these transkids be exposed and asserting that they were "fakes" because they would not reveal their identities publicly.

HOW DENIAL OF AUTOGYNEPHILIA CAN BE HARMFUL

We believe that advocacy for the standard feminine essence narrative, and against Blanchard's theory, is primarily conducted by, or at least on behalf of, nonhomosexual transsexuals who incorrectly deny their autogynephilia. We have outlined why some autogynephilic transsexuals might want to deny that they are autogynephilic, and why they might strongly prefer the standard (but false) feminine essence narrative. Those who advocate on behalf of autogynephilic transsexuals in denial include many gender clinicians; their motives may include their unwillingness to disbelieve or displease their patients and their greater comfort with the idea of facilitating sex reassignment for reasons related to gender than to eroticism (Lawrence 1998). Some clinicians may also think that belief in the feminine essence narrative may be beneficial for their patients' psychological health and social interactions, even if it does not correspond to the true etiology of their desire for sex reassignment. Nevertheless, there are both scientific and human costs to colluding with autogynephilias in denial by propping up the feminine essence narrative as an explanation for all MtF transsexualism.

Impeding Scientific Progress

Obviously, the extreme, highly personal attacks on those who agree with Blanchard's theory of transsexualism are likely to deter people from researching, agreeing with, or publicizing the theory. That is, indeed, the intended function of the attacks. Most theories can benefit by scientific criticism, but the attacks on *The Man Who Would Be Queen* and its author by transgender activists were not scientific criticism. We have argued that Blanchard's "two types" theory has greater explanatory value than the feminine essence narrative and the associated brain-sex theory. Whether or not we are right, deciding between the two views via political pressure cannot be the right way to advance science. The scientific costs of this pressure include embracing a less plausible theory and failure to advance the better theory. For example, it is possible that some transsexuals' resistance to the current theory is due to its incompleteness, which prevents it from explaining their inner experiences to their satisfaction (Lawrence 2007a). Progress toward a more complete theory is impeded by the kinds of pressure we have described, but it would be facilitated by thoughtful criticism.

Harm to Homosexual Transsexuals

Clinicians who work with transgender patients and who believe in the feminine essence narrative of MtF transsexualism sometimes take a similar approach to both homosexual and nonhomosexual MtF transsexuals. For example, the second author knows transkids whose therapists have offered them, and their families, readings by and about nonhomosexual transsexuals (e.g., *She's Not There*, by Jennifer Boylan [2003] and *Conundrum* by Jan Morris [1987]). The narratives in these readings did not even approximate the transkids' lives, and the therapists' assumptions that they did had a highly negative effect on the transkids' attitudes toward therapy. Inevitably, they dropped out early.

Homosexual and nonhomosexual MtF transsexuals have different life issues and goals, and the persistence of the belief that they are similar prevents development of clinical interventions likely to benefit the homosexual subtype. Velasquez (2004) has argued that there is a lack of meaningful therapy for young homosexual transsexuals like herself, and that this is because transkids are not recognized as a subtype distinct from nonhomosexual transsexuals. The denial of autogynephilia helps make this possible.

Harm to Autogynephilic Male-to-Female Transsexuals

There are also substantial human costs to autogynephilic transsexuals due to insistence on the false, feminine essence narrative. We consider two groups whom we believe are harmed by embracing the false narrative at the expense of Blanchard's categorical theory: autogynephiles not in denial, and autogynephiles in denial.

Although few nonhomosexual MtF transsexuals publicly identify as autogynephilic, many more do so privately. Of the e-mail correspondence the first author received regarding *The Man Who Would Be Queen*, about a third was from individuals who understood themselves to be autogynephilic. Some of these individuals said that reading about Blanchard's theory in the book had been revelatory and that they understood themselves for the first time, and all of them were happy that autogynephilia was being discussed openly.

Even before the controversy concerning the book, transsexuals sympathetic to Blanchard's ideas have found themselves

unwelcome in transsexual forums (e.g., online forums discussing transgender issues). Typically, any endorsement of Blanchard's theory, or admission of significant autogynephilic motivation, is met with hostility. This hostility appears to emanate primarily from individuals who fit the profile of autogynephiles in denial. The extreme stigmatization of the (true) idea of autogynephilia harms autogynephiles not in denial in obvious ways. It makes it much less likely that they can find resources that help them understand themselves, forces them into the closet, invalidates their self-concepts, and heightens feelings of shame.

Although autogynephiles in denial prefer the standard feminine essence narrative, this does not necessarily mean that wide acceptance of that narrative is in their best interests. In general, it seems likely that the best clinical and personal decisions are made on the basis of accurate conceptualizations. For example, we have noticed that some transsexuals we would classify as autogynephilic have chosen to pursue sex reassignment surgery after being diagnosed as "transsexual" rather than "transvestite," a diagnostic moment they often recount with a sense of relief. Currently, in the psychiatric nomenclature, the official name for transsexualism is gender identity disorder, highlighting the centrality of gender identity, consistent with the feminine essence narrative (American Psychiatric Association 2000). However, the differential diagnosis between transsexualism (gender identity disorder) and transvestism ("transvestic fetishism" in the DSM) is not clearly meaningful. Both nonhomosexual transsexuals and transvestites are motivated by autogynephilia; many (perhaps most) nonhomosexual transsexuals were transvestites prior to transitioning; and most importantly, the main difference between the two conditions is that transsexuals, but not transvestites, decide to take steps to achieve women's bodies. As we have noted, the precise nature of one's autogynephilic fantasies is a key factor in this decision. It seems detrimental to us that what should be an explicit cost-benefit decision, with important consequences to the lives of autogynephilic patients and their families, might be unduly influenced by a differential diagnosis of questionable validity.

It is unfortunate that the public face of MtF transsexualism is so different from reality. The controversy concerning The Man Who Would Be Queen has raised awareness of Blanchard's ideas within the transgender community, but it has not yet encouraged open-mindedness to those ideas. Those who value scientific truth and the well-being of transsexuals are advised to do better.

REFERENCES

Allison, B. 1998. Janice Raymond and autogynephilia, <http://www.drhecky.com/raymond.html>.

American Psychiatric Association (APA). 2000. Diagnostic and statistical manual of mental disorders, 4th ed., text revision. Washington, DC: APA.

Arune, W. 2004. I am Arune. <http://www.autogynephilia.org/I%20AM%20ARUNE.htm>.

Bailey, J. M. 2003. The man who would be queen: The science of gender-bending and transsexualism. Washington, DC: Joseph Henry Press.

Bailey, J. M. 2005. Academic McCarthyism. *Northwestern Chron*, Oct. 9. <http://www.chron.org/tools/viewart.php?artid=1248>.

Bailey, J. M., and K.J. Zucker. 1995. Childhood sex-typed behavior and sexual orientation: A conceptual analysis and quantitative review. *Dev Psychol* 31:43-55.

Blanchard, R. 1985. Typology of male-to-female transsexualism. *Arch Sex Behav* 14(3): 247-61.

Blanchard, R. 1988. Nonhomosexual gender dysphoria. *J Sex Res* 24(2): 188-93.

Blanchard, R. 1989a. The concept of autogynephilia and the typology of male gender dysphoria. *J Nerv Ment Dis* 177(10):616-23.

Blanchard, R. 1989b. The classification and labeling of nonhomosexual gender dysphorias. *Arch Sex Behav* 18(4):315-34.

Blanchard, R. 1990. Gender identity disorders in adult men. In *Clinical management of gender identity disorders in*

- children and adults, ed. R. Blanchard and B.W. Steiner, 47-76. Washington, DC: American Psychiatric Press.
- Blanchard, R. 1991. Clinical observations and systematic studies of autogynephilia. *J Sex Marital Ther* 17(4):235-51.
- Blanchard, R. 1993a. The she-male phenomenon and the concept of partial autogynephilia. *J Sex Marital Ther* 19:69-76.
- Blanchard, R. 1993b. Partial versus complete autogynephilia and gender dysphoria. *J Sex Marital Ther* 19:301-7.
- Blanchard, R. 2000. Part II: The case for publicly funded transsexual surgery. *Psychiatr Rounds* 4(2):4-6.
- Blanchard, R. 2005. Early history of the concept of autogynephilia. *Arch Sex Behav* 34(8): 439-46.
- Blanchard, R., L. H. Clemmensen, and B.W. Steiner. 1987. Heterosexual and homosexual gender dysphoria. *Arch Sex Behav* 16(2): 139-52.
- Blanchard, R., and S. J. Hucker. 1991. Age, transvestism, bondage and concurrent paraphilias in 117 fatal cases of autoerotic asphyxia. *Br J Psychiatry* 159:371-77.
- Blanchard, R., I. G., Racansky, and B.W. Steiner. 1986. Phallometric detection of fetishistic arousal in heterosexual male cross-dressers. *J Sex Res* 22(4):452-62.
- Boylan, J. F. 2003. *She's not there: A life in two genders*. New York: Broadway Books.
- Bradley, S.J., Oliver, G. D., Chernick, A. B., and Zucker, K.J. 1998. Experiment of nurture: Ablatio penis at 2 months, sex reassignment at 7 months, and a psychosexual follow-up in young adulthood. *Pediatr* 102(1): E9.
- Burns, C. 2004. The queen who won't be crowned, <http://ai.eecs.umich.edu.turing.library.northwestern.edu/people/conway/TS/Bailey/Lambda%20Literary%20Foundation.html#Queen>.
- Chivers, M., and R. Blanchard. 1996. Prostitution advertisements suggest association of transvestism and masochism. *J Sex Marital Ther* 22: 97-102.
- Conway, L. 2004. The Bailey investigation: How it began with a series of e-mail alerts. http://ai.eecs.umich.edu.turing.library.northwestern.edu/people/conway/TS/Bailey/Investigation%20start_up/Investigation%20start-up.htm.
- Conway, L. 2006. An investigation into the publication of J. Michael Bailey's book on transsexualism by the National Academies. <http://ai.eecs.umich.edu.turing.library.northwestern.edu/people/conway/TS/LynnsReviewOfBaileysBook.html>.
- Dreger, A. 2007. The controversy surrounding *The man who would be queen: A case history of the politics of science, identity, and sex in the internet age*. *Arch Sex Behav*, in press.
- Gender Identity Research and Education Society (GIRES). 2006. Atypical gender development: A review. *Int J Transgender* 9(1):29-44.
- Gooren, L. 2006. The biology of human psychosexual differentiation. *Horm Behav* 50: 589-601.
- Green, R. 1987. *The "sissy boy syndrome" and the development of homosexuality*. New Haven: Yale Univ. Press.
- Grubb, R.J. 2004. Lambda literary awards come under fire. *Bay Windows*, Feb. 19.
- Herman-Jeglinska, A., A. Grabowska, and S. Dulko. 2002. Masculinity, femininity, and transsexualism. *Arch Sex Behav* 31:527-34.
- Hulshoff Pol, H. E., et al. 2006. Changing your sex changes your brain: Influences of testosterone and estrogen on adult

human brain structure. *Eur J Endocrinol* 155(suppl. 1): S107-\$114.

James, A. 2006. Categorically wrong? A Bailey-Blanchard-Lawrence clearinghouse, <http://www.tsroadmap.com/info/bailey-blanchard-lawrence.html>.

James, A. 2007. Internet fakes: "transkids.us" <http://www.tsroadmap.com/info/transkids/index.html>.

Kruijver, F. P., et al. 2000. Male-to-female transsexuals have female neuron numbers in a limbic nucleus. *J Clin Endocrinol Metab* 85:2034-41.

Lawrence, A. A. 1998. Men trapped in men's bodies: An introduction to the concept of autogynephilia. *Transgend Tapestry* 1(85):65-68.

Lawrence, A. A. 1999a. 28 narratives about autogynephilia. <http://www.annelawrence.com/agnarratives.html>.

Lawrence, A. A., 1999b. 31 new narratives about autogynephilia, <http://www.annelawrence.com/31narratives.html>.

Lawrence, A. A. 2004. Autogynephilia: A paraphilic model of gender identity disorder. *J Gay Lesbian Psychother* 8(1/2):69-87

Lawrence, A. A. 2005. Sexuality before and after male-to-female sex reassignment surgery. *Arch Sex Behav* 34:147-66.

Lawrence, A. A. 2006. Clinical and theoretical parallels between desire for limb amputation and gender identity disorder. *Arch Sex Behav* 35(3):263-78.

Lawrence, A. A. 2007a. Becoming what we love: Autogynephilic transsexualism conceptualized as an expression of romantic love. *Perspect Biol Med* 50(4):506-20.

Lawrence, A. A. 2007b. A critique of the brain-sex theory of transsexualism, http://www.annelawrence.com/brain-sex_critique.html.

Lippa, R. A. 2001. Gender-related traits in transsexuals and nontranssexuals. *Arch Sex Behav* 30:603-14.

McCloskey, D. 2003. Queer science. *Reason Mag* 35(6):46-52.

Morris, J. 1987. *Conundrum*. New York: H. Holt.

Moser, C. 2001. Paraphilia: Another confused sexological concept. In *New directions in sex therapy: Innovations and alternatives*, ed. P.J. Kleinplatz, 91-108. Philadelphia: Brunner-Routledge.

Roughgarden, J. 2003. Open letter to the presidents of the NAS and IOM. May 6. <http://ai.eecs.umich.edu/turing.library.northwestern.edu/people/conway/TS/JOAN-ROUGHGARDEN-LETTER.html>.

Smith, Y. L. S., et al. 2005. Transsexual subtypes: Clinical and theoretical significance. *Psychiatr Res* 137(3):151-60.

Velasquez, S. A. 2004. Treatment recommendations for hsts transkids, <http://transkids.us/recommend.html>.

Wilson, G. D., and M. Gosselin. 1980. Personality characteristics of fetishists, transvestites and sadomasochists. *Pers Individ Diff* 1(3):289-95.

Zhou, J. N., et al. 1995. A sex difference in the human brain and its relation to transsexuality. *Nature* 378:68-70.

Zuger, B. 1984. Early effeminate behavior in boys: Outcome and significance for homosexuality. *J Nerv Ment Dis* 172:90-97.

J. MICHAEL BAILEY * AND KIIRA TRIEA

* Department of Psychology, Northwestern University, 2029 Sheridan Road, Evanston, Illinois 60208-2710.

E-mail: jm-bailey@northwestern.edu.

Bailey, J. Michael^Tria, Kiira

Source Citation (MLA 7th Edition)

Bailey, J. Michael, and Kiira Tria. "What many transgender activists don't want you to know: and why you should know it anyway." *Perspectives in Biology and Medicine* Autumn 2007: 521+. *Academic OneFile*. Web. 24 June 2015.

URL

<http://go.galegroup.com/ps/i.do?>

[id=GALE%7CA170194604&v=2.1&u=northwestern&it=r&p=AONE&sw=w&asid=9d588a38109964853510a9d56189fea3](http://go.galegroup.com/ps/i.do?id=GALE%7CA170194604&v=2.1&u=northwestern&it=r&p=AONE&sw=w&asid=9d588a38109964853510a9d56189fea3)

Gale Document Number: GALE|A170194604